

**EAST Search History****EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	Encrenaz	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/19 17:33
L2	20	Encrenaz and printing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/19 17:34
L3	9	Encrenaz and printing and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/19 17:34
L4	0	Encrenaz and printing and pattern @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/19 17:35
S1	1	"10571014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 12:10
S2	29	"5949964"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 12:11
S3	15	"6429948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 12:12
S4	13	"6132024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 12:12

S5	142083	printing near10 system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 13:17
S6	4	(printing near10 system) near10 ((content and Pattern) near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 13:17
S7	8	(printing near10 system) near10 ((content and Pattern) near10 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 13:19
S8	0	("2006/0024617").URPN.	USPAT	ADJ	ON	2009/09/15 13:20
S9	3	(printing system) near10 ((content and Pattern) near10 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 13:20
S10	8	(printing system) with ((content and Pattern) near10 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 13:21
S11	1	bypass masking process	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:24
S12	1	(by-pass) near10 (masking process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:25
S13	24	(by-pass) and (masking process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:25
S14	15	"6429948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:29

S15	8	invisible printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:48
S16	13	"6132024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:55
S17	8	"6132024" and invisible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:55
S18	8	"6132024" and invisible and nelson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 16:55
S19	2399	printing near10 (content and pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:21
S20	1303	printing near5 (content and pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:21
S21	5	printing near5 (content and pattern)near10 visible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:21
S22	127	printing near5 (content and pattern)near10 ink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:23
S23	127	printing near5 (content and pattern) near10 ink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:35

S24	47	printing near5 (content and pattern) near10 document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:44
S25	38	printing near5 (content and pattern) near5 document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:44
S26	0	printing near5 (content and pattern) near5 document @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:45
S27	0	printing near5 (content and pattern) and document @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:46
S28	427	(digital pen) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:47
S29	0	(digital pen) and @ad<"20030910" and invisible and visible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:47
S30	23	(digital pen) and @ad<"20030910" and invisible and visible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 17:47
S31	15	(digital pen) and @ad<"20030910" and invisible and visible and inks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:05
S32	1	09/361465	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:06

S33	1	09/361465 and visible and invisible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:07
S34	0	09/361465 and visible and invisible and printer and content and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:07
S35	0	09/361465 and visible and invisible and printer and content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:07
S36	1	09/361465 and visible and invisible and printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:07
S37	1	09/361465 and visible and invisible and printer and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:07
S38	0	2004/077952	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:49
S39	0	2004/0077952	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:49
S40	0	(2004/0077952).CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/09/15 18:50
S41	0	("patrickrafter").PN.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/09/15 18:50
S42	1	patrick rafter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 18:50

S43	405	rumph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 19:01
S44	0	rumph and "09632787"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 19:01
S45	1	rumph and "09/632787"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 19:01
S46	9	(US-20070273917-\$ or US-20030122855-\$).did. or (US-5949964-\$ or US-6429948-\$ or US-6132024-\$ or US-6572213-\$ or US-6542622-\$ or US-7085693-\$).did. or (JP-2008242723-\$).did.	US-PGPUB; USPAT; JPO	ADJ	ON	2009/09/15 20:21
S47	5	S46 and (content and pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:21
S48	54	printing and content and patern and data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:23
S49	0	printing and content and patern and data @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:23
S50	0	S46 and processing data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:24
S51	6	S46 and processing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:25

S52	6	S46 and processing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 20:27
S53	7	(by?pass) near5 masking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/15 21:28
S54	0	by-pass a masking process	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:56
S55	0	(by-pass masking process) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:56
S56	0	(by-pass) near5 (masking process) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S57	0	(by-pass) near5 (masking) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S58	0	(by-pass) near20 (masking) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S59	0	(by-pass) near50 (masking) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S60	0	(by-pass) near100 (masking) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57

S61	0	(by-pass or bypass) near100 (masking) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S62	81	(by-pass or bypass) near100 (masking)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:57
S63	81	(by-pass or bypass) near25 (masking)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 11:58
S64	55	(by-pass or bypass) near25 (masking)and @ad<"20030910" and data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 13:20
S65	30	(by-pass or bypass) near25 (masking)and @ad<"20030910" and data and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 13:20
S66	0	(by-pass or bypass) near25 (linearization)and @ad<"20030910" and data and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:01
S67	15	(by-pass or bypass) near25 (linearization)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:01
S68	22	((by-pass or bypass) near25 pattern)and (linearization)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:04
S69	0	((by-pass or bypass) near25 pattern)and (linearization process)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:05

S70	22	((by-pass or bypass) near25 pattern)and (linearization and process)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:05
S71	11	((by-pass or bypass) near25 linearization)and (linearization and process)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:27
S72	15	((by-pass or bypass) near25 linearization)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:29
S73	1	(pattern or content) and ((by-pass or bypass) near25 linearization)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 14:30
S74	1	(content) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:20
S75	0	(patern) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:21
S76	0	(pattern) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:21
S77	0	(pattern) and ((by-pass or bypass) near25 linearisation) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:22
S78	0	(content data) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:22

S79	1	(content) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:23
S80	7	(data) and ((by-pass or bypass) near25 linearization) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:23
S81	115357	(Pattern and treating) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:29
S82	3412	((Treating near5 Pattern) and treating) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:29
S83	0	((Treating near5 Pattern) near5 text) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:30
S84	0	((Treating near5 Pattern) near15 text) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:30
S85	173	((Treating near5 Pattern) and text) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:30
S86	32	((Treating near5 Pattern) and text) and @ad<"20030910" and print	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 15:31
S87	73	(content data) and linearization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:02

S88	0	((content data) and linearization) and ((patern data) and (by-pass) and (Masking))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:03
S89	0	((content data) and linearization) and ((patern data) and (by-pass))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:03
S90	0	((content data) and linearization) near25 ((patern data) and (by-pass))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:04
S91	73	((content data) and linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:05
S92	1	((content data)near5 linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:05
S93	23	((by-pass or bypass) near20 linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:11
S94	0	((by-pass or bypass) near20 linearization) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 16:11
S95	0	(printing system) and ((visible and Invisible) and ink) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:15
S96	0	(printing system) and ((visible and Invisible)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:16

S97	0	(printing near5system) and ((visible and Invisible)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:16
S98	0	(printing near5 system) and ((visible and Invisible)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:16
S99	0	(printing near5 system) and (( Invisible and ink)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:16
S100	0	(printing near10 system) and (( Invisible and ink)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:17
S101	0	(printing near10 system) and (( Invisible and ink)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:17
S102	0	(printing near10 system) and (( Invisible ink)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:17
S103	456	(printing near10 system) and (( Invisible ink)) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:17
S104	1119	(printing near10 system) and (( Invisible and visible)and ink) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:18
S105	403	(printing system) and (( Invisible and visible)and ink) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:18

S106	75	(printing system) and (( Invisible and visible)near2 ink) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:18
S107	0	(printing system) and (( Invisible and visible)near2 ink) and (data) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:19
S108	0	(printing system) and (( Invisible and visible)near2 ink) and (data) and@ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:19
S109	22	(printing system) and (( Invisible and visible)near2 ink) and (content and pattern) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/16 18:20
S110	72533	laser printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 10:52
S111	2	"20060279751"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:02
S112	0	(laser printer)and (invisible toner)and (lower resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:10
S113	0	(laser printer)and (invisible toner)and (lower resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:11
S114	2	(laser printer)and (invisible toner)and (resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:11

S115	13132	(laser printer)and (resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:19
S116	572	(laser printer)and (resolution) and (scanning speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:20
S117	435	(laser printer)and (resolution) and (scanning speed) and @ad<"20050613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:20
S118	98	(laser printer)and (resolution same scanning speed) and @ad<"20050613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/17 11:20
S119	1885	(content data) and (pattern data )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:13
S120	784	(content data) and (pattern data) and print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:14
S121	416	(content data) and (pattern data) and print\$4 and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:15
S122	0	(content data) and (pattern data) and print\$4 and @ad<"20030910" and (linerisation) and masking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:17
S123	0	(content data) and (pattern data) and print\$4 and @ad<"20030910" and (linerization) and masking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:17

S124	0	(content data) and (pattern data) and print\$4 and @ad<"20030910" and (linearization) and mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:17
S125	145	(content data) and (pattern data) and print\$4 and @ad<"20030910" and (convert \$3) and mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:17
S126	49	(content data) and (pattern data) and print\$4 and @ad<"20030910" and (convert \$3) and mask\$3 and inks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:17
S127	0	(content data) and ((pattern data)and by-passed) and print \$4 and @ad<"20030910" and (convert\$3) and mask\$3 and inks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:19
S128	0	(content data) and (pattern data)and (by-passed) and print \$4 and @ad<"20030910" and (convert\$3) and mask\$3 and inks	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:20
S129	1	Content data near5 (linearization or conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:30
S130	3	Content data near15 (linearization or conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:30
S131	1	Content data near15 (linearization or conversion)and ((pattern data)or (reference data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:31
S132	1	Content data near25 (linearization or conversion)and ((pattern data)or (reference data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:31

S133	1	Content data near15 (linearization or conversion) near15 ((pattern data)or (reference data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:31
S134	1	Content data with (linearization or conversion)near15 ((pattern data)or (reference data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:32
S135	63751	content data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:33
S136	45013	pattern data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:33
S137	1885	S135 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:33
S138	3	S137 and Linearisation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:34
S139	1321	S137 and convert\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:35
S140	11339	S139 and (by-pass) or (go around)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:35
S141	9	S139 and (by-pass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:35

S142	0	S139 and (by-pass) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:38
S143	55	(content data) and (pattern data) and printing and @ad<"20030910" and (convert \$3) and mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:50
S144	4	(content data) and (pattern data) and printing and @ad<"20030910" and (convert \$3) and mask\$3 and by	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:50
S145	185	(content data) and (pattern data) and printing and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:52
S146	0	(content data) near10 (linearization or ((color conversion) or LUT)) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:54
S147	2	(content data) near10 (linearization ) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:54
S148	2	(content data) near15 (linearization ) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:58
S149	13	(content data) near15 (linearization or LUT) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 20:58
S150	0	(content data)near30 (pattern data) near25 (linearization or LUT) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:01

S151	0	(content data)and (pattern data) near25 (linearization or LUT) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:01
S152	0	(content data)and (pattern data) near25 (linearization or LUT or look up table) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:01
S153	0	(content data)and (pattern data) near25 (linearization or LUT or look-up table) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:02
S154	0	(content data)and (pattern data) near30 (linearization or LUT or look-up table) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:02
S155	0	(content data)and (pattern data) near30 (linearization or LUT or look-up) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:02
S156	51	(content data)and (pattern data) near30 (linearization or LUT or table) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:02
S157	10	(content data)and (pattern data) near30 (linearization or LUT or table) and @ad<"20030910" and print	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:06
S158	10	(content data)and (pattern data) near30 (linearization or LUT or table) and @ad<"20030910" and print	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:09
S159	0	(content data)and (pattern data) near30 (linearization or LUT or table) and @ad<"20030910" and print and ink?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:09

S160	0	(content data)and (pattern data) near30 (linearization or LUT or table) and @ad<"20030910" and print\$4 and ink?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:10
S161	0	(content data)and (pattern data) @ad<"20030910" and print\$4 and ink?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:10
S162	0	(content data)and (pattern data) @ad<"20030910" and print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:10
S163	416	(content data)and (pattern data) and @ad<"20030910" and print \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:11
S164	0	(content data)and (pattern data) and @ad<"20030910" and print \$4 and imk	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:11
S165	96	(content data)and (pattern data) and @ad<"20030910" and print \$4 and ink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:11
S166	0	(content data)and (pattern data) and @ad<"20030910" and print \$4 and ink and conversion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:11
S167	1	(content data)and (pattern data) and @ad<"20030910" and print \$4 and ink and linearization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:12
S168	63755	(content data)or (pattern data) and @ad<"20030910" and print \$4 and ink and linearization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:15

S169	63751	(content data) or (pattern data) and @ad<"20030910" and print \$4 and ink and linearization and bypass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:15
S170	63751	(content data) or (pattern data) and @ad<"20030910" and print \$4 and ink and linearization and (bypass near10 linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:16
S171	0	(content data) and (pattern data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass near10 linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:16
S172	0	(content data) with (pattern data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass near10 linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:16
S173	0	(content data) same (pattern data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass near10 linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:16
S174	0	(content data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass near10 linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:17
S175	0	(content data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass linerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:17
S176	1	(content data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:18
S177	0	(pattern data) and @ad<"20030910" and print\$4 and ink and linearization and (bypass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:19

S178	41	(pattern data) and @ad<"20030910" and print\$4 and ink and (bypass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:20
S179	0	(invisible pattern data) and @ad<"20030910" and print\$4 and ink and (bypass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:39
S180	0	(Content data)and (Linearization process) @ad<"20030910" and print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:47
S181	5	(Content data)and (Linearization process)and @ad<"20030910" and print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:47
S182	5	system and (Content data)and (Linearization process)and @ad<"20030910" and print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:55
S183	1	(pattern data) and bypass and (masking and linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:56
S184	1	(pattern data) and bypass and (LUT and linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:57
S185	1	(pattern data) and by-pass and (LUT and linearization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:58
S186	45013	(pattern data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:58

S187	0	(pattern data) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:59
S188	30078	(pattern data)and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 21:59
S189	0	(pattern data) and (Go around) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:02
S190	0	(pattern data) and (bypass\$5) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:03
S191	0	(pattern data) and (skips) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:03
S192	0	(pattern data) and (around) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:03
S193	0	(pattern data) and (around) @ad<"20030910" and "358"/\$. cccls	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:04
S194	0	(pattern data) and (bypass) @ad<"20030910" and "358"/\$. cccls	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:05
S195	0	(pattern near5 data) and (bypass) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:06

S196	0	(pattern near5 data) and (by? pass) @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:06
S197	273	(pattern near5 data) and (by? pass) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:06
S198	183	(pattern near2 data) and (by? pass) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:06
S199	0	(pattern near2 data) and (by? pass) near5 @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:08
S200	0	(pattern near2 data) and (by? pass) near20 @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:08
S201	3	(pattern near2 data) near20 (by?pass) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:08
S202	183	(pattern near2 data) and (by? pass) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:11
S203	3	(pattern near2 data) near10 (by?pass\$5) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:11
S204	0	(pattern near2 data) near10 (no LUT) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:12

S205	24	(pattern near2 data) near10 (bypasses) and @ad<"20030910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/18 22:12
------	----	---	---	-----	----	---------------------

**9/ 19/ 2009 5:37:18 PM****C:\ Documents and Settings\ dsuazo\ My Documents\ EAST\ Workspaces\ 10571014.wsp**